ELSEVIER

Journal of Materials Processing Technology 122 (2002) 397

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 122

Ai, X., 27

Bair, B.-W., 139
Balic, J., 368
Barrett, C.J., 56
Bikas, A., 112
Blokhuis, Y., 344
Bocai, X., 196
Braga, D.U., 127
Byrd, P., 355
Byrne, G., 63

Cao, H.J., 201
Chan, K.C., 272
Chandel, R.S., 220
Chen, B., 189, 208
Chen, J.-H., 12
Chen, Y.Z., 220
Chiu, W.M., 286
Chun-Wei, H., 23
Claudinon, S., 69
Coppini, N.L., 127
Costa, B.F.O., 363

Dautzenberg, J.H., 322
Diniz, A.E., 127
Dong, Z., 305
Dorward, R.C., 331

El-Sheikh, H.F., 309

Fagen, W., 196
Fang, G., 249
Feng, T., 51
Fortunier, R., 69
Fubao, Z., 38

Gao, D., 286
Gao, F., 305
Graham, D., 82

Han, H., 386
Hancheng, Q., 196
Harada, Y., 272
Hashmi, M.S.J., 309
Her, M.-G., 1
Hing, P., 266
Ho, C., 23
Ho, C.T., 301
Hocheng, H., 148
Hoffmann, H., 338
Hoogen, M., 338
Hsu, Y.-C., 260

Jaspers, S.P.F.C., 322
Jehng, W.-K., 160
Jianhua, F., 38
Juang, S.C., 33

Kamalu, J., 355
Kanarachos, A., 112
Kennedy, A., 63
Khalid, F.A., 381
Kuo, H.-C., 12
Kwan, C.-T., 213, 260

Lam, F.W., 286
Lamesle, P., 69
Lau, K.H., 179
Lavin, S., 63
Law, J., 82
Lee, J.K., 6
Lee, S., 226
Li, D., 241
Li, H.Y., 179
Li, S., 266
Li, W.G., 189
Li, Y., 51, 241
Li, Z., 237
Liang, J., 272
Liang, X.C., 208
Liu, F., 201
Liu, Y., 45
Lof, J., 344
Lou, L., 249
Loureiro, A.J.R., 363
Lui, M.Y., 185
Luo, D.F., 179

MacDonald, B.J., 309
Mei, S.M., 278
Miranda, G.W.A., 127
Moon, I.-G., 255
Murray, M., 82

Nakamachi, E., 104
Nastran, M., 368
Nong, S.N., 208

O'Driscoll, M., 318
Orteu, J.J., 69

Pan, J., 241
Pantelelis, N., 112
Park, J.-W., 255
Peng, X.H., 189, 208
Pitman, A., 355
Platts, M.J., 374
Pyttel, T., 338

Qian, Y., 305

Samuel, M., 94
Seow, H.P., 220
Sexton, L., 63
Shan, A., 255
Shangzheng, L., 196
Shuqin, X., 338
Shyu, R.F., 301
St. John, D., 82
Sun, C.Q., 266
Sun, D.M., 232

Tarng, Y.S., 33
Thiruvarudchelvan, S., 293
Tian, C., 82
Tsai, H.H., 148
Tsing-Tshih, T., 23

van der Touw, J., 82

Wang, G.D., 232
Wang, T., 374
Wang, X., 51
Wang, X.C., 185
Weng, F.-T., 1
Weng, F.T., 301
Widjaja, S., 266
Wilshire, B., 56
Wu, H.-Y., 226
Wu, L.-J., 12
Wu, P., 201

Xie, C.L., 104
Xinbo, L., 38
Xu, C., 27

Yang, H., 45
Yao, J.-Y., 82
Yeung, C.F., 179
Yoshida, F., 272
You, Y.-H., 226
Yue, T.M., 278
Yung, K.C., 278

Zeng, P., 249
Zeng, Y., 237
Zhan, M., 45
Zhang, H., 201
Zhang, J.H., 232
Zhang, J.X., 220
Zhang, Q.H., 232
Zhang, Y.B., 266
Zhao, K.M., 6
Zhiliang, Z., 38
Zhong, Z., 173
Zou, Z., 51

Elsevier Science B.V.
PII: S0924-0136(02)00107-3

ELSEVIER

Journal of Materials Processing Technology 122 (2002) 398–402

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 122

Accuracy
Prediction of metal wire behavior using genetic programming, 368
Advanced materials
Surface finish of precision machined advanced materials, 173
AISI 310
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363
Alumina–steel joint
Effect of residual stress on the strength of an alumina–steel joint by partial transient liquid phase (PTLP) brazing, 220
Aluminium extrusion
FEM simulations of the extrusion of complex thin-walled aluminium sections, 344
Aluminum alloy
Using a minimum quantity of lubricant (MQL) and a diamond coated tool in the drilling of aluminum–silicon alloys, 127
Experimental research on the tube push-bending process, 237
In situ reacted titanium nitride-reinforced aluminum alloy composite, 301
Integrating product capability statistics with process models, 331
Artificial hip
Material selection in the design of the femoral component of cemented total hip replacement, 309

Back propagation neural network
Neural-fuzzy fault diagnosis in a marine propulsion shaft system, 12
Bearing roller
The application of computer simulation in the heat-treatment process of a large-scale bearing roller, 241
Blade with a damper platform
A 3D rigid–viscoplastic FEM simulation of the isothermal precision forging of a blade with a damper platform, 45
Blank design
A computer-aided blank design method for the peen forming process, 374
Blanking
Finite element simulation of the effect of clearance on the forming quality in the blanking process, 249
Brazed joint
Microstructure development and metallurgical analysis of the Al–Si contact reaction, 305
Brazing
Oxidation resistance and phase constituents in the brazing interface of WC–TiC–Co hard alloys, 51
Bulk forming
FEM simulations of the extrusion of complex thin-walled aluminium sections, 344

Capability index
Integrating product capability statistics with process models, 331
Carbides
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363
Casting porosity
Effect of melt cleanliness on the formation of porosity defects in automotive aluminium high pressure die castings, 82
Ceramic material
Computer simulation of the temperature field in the hot pressing process of multi-phase composite ceramic material, 27
Chromium sheet
Deformation behaviour of chromium sheets in mechanical and laser bending, 272
Clearance
Finite element simulation of the effect of clearance on the forming quality in the blanking process, 249
Coefficient of friction
Influence of drawbead geometry on sheet metal forming, 94
The validity of mathematical models evaluated by two-specimen method under the unknown coefficient of friction and flow stress, 386
Composites
In situ reacted titanium nitride-reinforced aluminum alloy composite, 301
Computer simulation
Computer simulation of the temperature field in the hot pressing process of multi-phase composite ceramic material, 27
Computational tools for the optimal design of the injection moulding process, 112
The application of computer simulation in the heat-treatment process of a large-scale bearing roller, 241
Computer solid model
Computer solid modeling technologies applied to develop and form mathematical parametric tooth profiles of bevel gear and skew gear sets, 160
Computer vision
Continuous in situ measurement of quenching distortions using computer vision, 69
Concave
Prediction of a thermally induced concave ground surface of the workpiece in surface grinding, 148
Constitutive model
Finite element analysis of the three-point bending of sheet metals, 6
An incremental constitutive relationship incorporating phase transformation with the application to stress analysis for the quenching process, 208
Constitutive relation
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189
Contact reaction
Microstructure development and metallurgical analysis of the Al–Si contact reaction, 305
Control
Prediction of metal wire behavior using genetic programming, 368
Curie temperature
Transition dependence of $La_{2/3}Ca_{1/3}MnO_3$ oxide on microstructure, 266

Elsevier Science B.V.
PII: S0924-0136(02)00108-5

Cutting-tool life
Use of low carbon/high ductile high-speed steel to make cutting-tools, 179
Cyclic bending
Finite element analysis of the three-point bending of sheet metals, 6
Cyclic stress–strain curves
Finite element analysis of the three-point bending of sheet metals, 6

3D FEM
A 3D rigid–viscoplastic FEM simulation of the isothermal precision forging of a blade with a damper platform, 45
Design
Design for manufacture, 318
Development of surface
A computer-aided blank design method for the peen forming process, 374
Diamond tool
Study on the diamond tool drilling of engineering ceramics, 232
Die design
Estimation of friction during equal channel angular (ECA) pressing of aluminum alloys, 255
Dilution
Laser cladding of aerospace materials, 63
Distortions
Continuous in situ measurement of quenching distortions using computer vision, 69
Drawbead geometry
Influence of drawbead geometry on sheet metal forming, 94
Drilling
Study on the diamond tool drilling of engineering ceramics, 232
Drilling process
Using a minimum quantity of lubricant (MQL) and a diamond coated tool in the drilling of aluminum–silicon alloys, 127
Ductile streaks
Surface finish of precision machined advanced materials, 173
Ductile-to-brittle transition
Deformation behaviour of chromium sheets in mechanical and laser bending, 272

ECA pressing
Estimation of friction during equal channel angular (ECA) pressing of aluminum alloys, 255
EDM
A study of the electrical discharge machining of semi-conductor $BaTiO_3$, 1
Elastoplastic
An incremental constitutive relationship incorporating phase transformation with the application to stress analysis for the quenching process, 208
Ellipsoidal void
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189
Elliptical gears
Computerized tooth profile generation of elliptical gears manufactured by shaper cutters, 139
Engineering ceramic
Study on the diamond tool drilling of engineering ceramics, 232
Environment
A model for analyzing the consumption situation of product material resources in manufacturing systems, 201
Evolution strategy
Computational tools for the optimal design of the injection moulding process, 112
Experiment
FEM simulation and experimental research on the AlMg4.5Mn0.4 sheet blanking, 338
Experimental research
Experimental research on the tube push-bending process, 237

Fault diagnosis
Neural-fuzzy fault diagnosis in a marine propulsion shaft system, 12
FEM
Finite element simulation of the effect of clearance on the forming quality in the blanking process, 249
FEM simulation
Effect of residual stress on the strength of an alumina–steel joint by partial transient liquid phase (PTLP) brazing, 220
FEM simulation and experimental research on the AlMg4.5Mn0.4 sheet blanking, 338
Ferritic hot rolling
The production of ferritically hot rolled interstitial-free steel on a modern hot strip mill, 56
Finite element analysis
The effect of crystallographic textures on the formability of high-strength steel sheets, 104
Finite element method
Material selection in the design of the femoral component of cemented total hip replacement, 309
Flow line function
An analysis of pseudo equal-cross-section lateral extrusion through a curved channel, 260
Flow stress
Research on the flow stress characteristics of AISI 1006 and AISI 5140 in the temperature range of warm forging by means of thermo-mechanical experiments, 38
Flow stress and flow resistance
The validity of mathematical models evaluated by two-specimen method under the unknown coefficient of friction and flow stress, 386
Forecasting compensatory control
An overhung boring bar servo system for on-line correction of machining errors, 286
Formability
The effect of crystallographic textures on the formability of high-strength steel sheets, 104
Fresnel-zone plate
A study of super-plasticity hydraulic forming to develop a microwave plate reflector antenna (I), 23
Friction
Estimation of friction during equal channel angular (ECA) pressing of aluminum alloys, 255
Fuzzy neural network
Fuzzy neural network modeling of material properties, 196

Gaussian distribution
The effect of crystallographic textures on the formability of high-strength steel sheets, 104
Generalized regression neural network
Fuzzy neural network modeling of material properties, 196
Genetic algorithm
A study of the electrical discharge machining of semi-conductor $BaTiO_3$, 1
Genetic programming
Prediction of metal wire behavior using genetic programming, 368
GFRP materials
A study of the heat-affected zone in the UV YAG laser drilling of GFRP materials, 278
Gray cast iron
Fuzzy neural network modeling of material properties, 196

Hard alloy
Oxidation resistance and phase constituents in the brazing interface of WC–TiC–Co hard alloys, 51

Hardening of HSS
Use of low carbon/high ductile high-speed steel to make cutting-tools, 179
Hardmetal inserts
A note on the comparison of microstructure and coating characteristics of hardmetal inserts, 381
Heat treating
Integrating product capability statistics with process models, 331
Heat-affected zone
A study of the heat-affected zone in the UV YAG laser drilling of GFRP materials, 278
Heat-treatment process
The application of computer simulation in the heat-treatment process of a large-scale bearing roller, 241
High pressure die casting
Effect of melt cleanliness on the formation of porosity defects in automotive aluminium high pressure die castings, 82
Hot pressing
Computer simulation of the temperature field in the hot pressing process of multi-phase composite ceramic material, 27

Inclusions
Effect of melt cleanliness on the formation of porosity defects in automotive aluminium high pressure die castings, 82
Injection moulding
Computational tools for the optimal design of the injection moulding process, 112
Instantaneous skew axis
Computer solid modeling technologies applied to develop and form mathematical parametric tooth profiles of bevel gear and skew gear sets, 160
Integral wing skin
A computer-aided blank design method for the peen forming process, 374
Interface
Oxidation resistance and phase constituents in the brazing interface of WC–TiC–Co hard alloys, 51
Interfacial delamination
Variable angle laser drilling of thermal barrier coated nimonic, 355
Interstitial-free steel
The production of ferritically hot rolled interstitial-free steel on a modern hot strip mill, 56
Isothermal forging
A 3D rigid–viscoplastic FEM simulation of the isothermal precision forging of a blade with a damper platform, 45

$La_{2/3}Ca_{1/3}MnO_3$ oxide
Transition dependence of $La_{2/3}Ca_{1/3}MnO_3$ oxide on microstructure, 266
Laser-bending
Deformation behaviour of chromium sheets in mechanical and laser bending, 272
Laser cladding
Laser cladding of aerospace materials, 63
Laser drilling
Variable angle laser drilling of thermal barrier coated nimonic, 355
Linescan images
A note on the comparison of microstructure and coating characteristics of hardmetal inserts, 381

Machining mechanism
Study on the diamond tool drilling of engineering ceramics, 232
Manufacture
Design for manufacture, 318
Prediction of metal wire behavior using genetic programming, 368
Manufacturing system
A model for analyzing the consumption situation of product material resources in manufacturing systems, 201
Material behaviour
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Materials
A model for analyzing the consumption situation of product material resources in manufacturing systems, 201
Mathematical models
The validity of mathematical models evaluated by two-specimen method under the unknown coefficient of friction and flow stress, 386
Measurements
Continuous in situ measurement of quenching distortions using computer vision, 69
Melt cleanliness
Effect of melt cleanliness on the formation of porosity defects in automotive aluminium high pressure die castings, 82
Metal cutting
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Metal forming
The potential role of flexible tools in metal forming, 293
Metal machining
Using a minimum quantity of lubricant (MQL) and a diamond coated tool in the drilling of aluminum–silicon alloys, 127
Microcomputer control
An arbitrary waveform control system for a precise spot-welding power source, 185
Microstructure
Transition dependence of $La_{2/3}Ca_{1/3}MnO_3$ oxide on microstructure, 266
Minimal lubrication
Using a minimum quantity of lubricant (MQL) and a diamond coated tool in the drilling of aluminum–silicon alloys, 127
Mössbauer
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363

Nimonic
Variable angle laser drilling of thermal barrier coated nimonic, 355
Nitrides
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363
Non-undercut condition
Computer solid modeling technologies applied to develop and form mathematical parametric tooth profiles of bevel gear and skew gear sets, 160
Numerical modelling
FEM simulations of the extrusion of complex thin-walled aluminium sections, 344

Optimal die profile
A generalized velocity field for axisymmetric tube drawing through an arbitrarily curved die with an arbitrarily curved plug, 213
Optimisation methods
Computational tools for the optimal design of the injection moulding process, 112
Optimization
Finite element analysis of the three-point bending of sheet metals, 6

Process parameter selection for optimizing the weld pool geometry in the tungsten inert gas welding of stainless steel, 33
Phase constituent
Oxidation resistance and phase constituents in the brazing interface of WC–TiC–Co hard alloys, 51

Phase transformation
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363
Pitch plane
Computer solid modeling technologies applied to develop and form mathematical parametric tooth profiles of bevel gear and skew gear sets, 160
Pitch vertical
Computer solid modeling technologies applied to develop and form mathematical parametric tooth profiles of bevel gear and skew gear sets, 160
Pointed teeth
Computerized tooth profile generation of elliptical gears manufactured by shaper cutters, 139
Porosity
Effect of melt cleanliness on the formation of porosity defects in automotive aluminium high pressure die castings, 82
Powder feeder
Laser cladding of aerospace materials, 63
Power spectrum density
Neural-fuzzy fault diagnosis in a marine propulsion shaft system, 12
Precision boring
An overhung boring bar servo system for on-line correction of machining errors, 286
Precision forming
A 3D rigid–viscoplastic FEM simulation of the isothermal precision forging of a blade with a damper platform, 45
Predicting model
Fuzzy neural network modeling of material properties, 196
Prediction
Prediction of metal wire behavior using genetic programming, 368
Press bonding
Genuine solid-state bonding characteristics of superplastic Al-alloys, 226
Process models
Integrating product capability statistics with process models, 331
Prosthesis
Material selection in the design of the femoral component of cemented total hip replacement, 309
Pseudo equal-cross-section lateral extrusion
An analysis of pseudo equal-cross-section lateral extrusion through a curved channel, 260

Quenching
Continuous in situ measurement of quenching distortions using computer vision, 69
An incremental constitutive relationship incorporating phase transformation with the application to stress analysis for the quenching process, 208
Integrating product capability statistics with process models, 331

Reactive spread
Microstructure development and metallurgical analysis of the Al–Si contact reaction, 305
Real-time error compensation
An overhung boring bar servo system for on-line correction of machining errors, 286
Residual stress
Effect of residual stress on the strength of an alumina–steel joint by partial transient liquid phase (PTLP) brazing, 220
Resource utilization rate
A model for analyzing the consumption situation of product material resources in manufacturing systems, 201
Resources
A model for analyzing the consumption situation of product material resources in manufacturing systems, 201
Rigid–viscoplastic
A 3D rigid–viscoplastic FEM simulation of the isothermal precision forging of a blade with a damper platform, 45

Semi-conductor
A study of the electrical discharge machining of semi-conductor $BaTiO_3$, 1
Sheet blanking
FEM simulation and experimental research on the AlMg4.5Mn0.4 sheet blanking, 338
Sheet metal
Finite element simulation of the effect of clearance on the forming quality in the blanking process, 249
Sheet metal forming
Finite element analysis of the three-point bending of sheet metals, 6
Influence of drawbead geometry on sheet metal forming, 94
Shot peen forming
A computer-aided blank design method for the peen forming process, 374
SHPB
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Single- and multi-layered coating
A note on the comparison of microstructure and coating characteristics of hardmetal inserts, 381
Small bend radius
Experimental research on the tube push-bending process, 237
Solid-state bonding
Genuine solid-state bonding characteristics of superplastic Al-alloys, 226
Spot-welding
An arbitrary waveform control system for a precise spot-welding power source, 185
Springback
Finite element analysis of the three-point bending of sheet metals, 6
Strain
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Strain rate
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Super-electricity
A study of super-plasticity hydraulic forming to develop a microwave plate reflector antenna (I), 23
Superplastic Al-alloys
Genuine solid-state bonding characteristics of superplastic Al-alloys, 226
Surface finish and integrity
Surface finish of precision machined advanced materials, 173
Surface grinding
Prediction of a thermally induced concave ground surface of the workpiece in surface grinding, 148
Surface heat treatment
Use of low carbon/high ductile high-speed steel to make cutting-tools, 179

Taguchi method
Process parameter selection for optimizing the weld pool geometry in the tungsten inert gas welding of stainless steel, 33
Temperature
Material behaviour in conditions similar to metal cutting: flow stress in the primary shear zone, 322
Temperature field
Computer simulation of the temperature field in the hot pressing process of multi-phase composite ceramic material, 27

Tensile properties
Estimation of friction during equal channel angular (ECA) pressing of aluminum alloys, 255
Texture design
The effect of crystallographic textures on the formability of high-strength steel sheets, 104
Thermal barrier coating
Variable angle laser drilling of thermal barrier coated nimonic, 355
Thermal stress
An incremental constitutive relationship incorporating phase transformation with the application to stress analysis for the quenching process, 208
Thermo-mechanical experiment
Research on the flow stress characteristics of AISI 1006 and AISI 5140 in the temperature range of warm forging by means of thermo-mechanical experiments, 38
Three-point bending
Deformation behaviour of chromium sheets in mechanical and laser bending, 272
Titanium nitride
In situ reacted titanium nitride-reinforced aluminum alloy composite, 301
Tools
The potential role of flexible tools in metal forming, 293
Transformation stress
An incremental constitutive relationship incorporating phase transformation with the application to stress analysis for the quenching process, 208
Triaxiality stress
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189
Tube drawing
A generalized velocity field for axisymmetric tube drawing through an arbitrarily curved die with an arbitrarily curved plug, 213
Tube push-bending process
Experimental research on the tube push-bending process, 237
Tungsten inert gas welding
Process parameter selection for optimizing the weld pool geometry in the tungsten inert gas welding of stainless steel, 33

Undercutting
Computerized tooth profile generation of elliptical gears manufactured by shaper cutters, 139
Upper bound method
A generalized velocity field for axisymmetric tube drawing through an arbitrarily curved die with an arbitrarily curved plug, 213
An analysis of pseudo equal-cross-section lateral extrusion through a curved channel, 260
Urethane
The potential role of flexible tools in metal forming, 293
UV YAG laser
A study of the heat-affected zone in the UV YAG laser drilling of GFRP materials, 278

Variable angle
Variable angle laser drilling of thermal barrier coated nimonic, 355
Void evolution rate
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189
Void shape
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189
Void volume fraction
A microvoid evolution law involving change of void shape and micro/macroscopic analysis for damaged materials, 189

Warm forging
Research on the flow stress characteristics of AISI 1006 and AISI 5140 in the temperature range of warm forging by means of thermo-mechanical experiments, 38
Waveform control
An arbitrary waveform control system for a precise spot-welding power source, 185
Wear
In situ reacted titanium nitride-reinforced aluminum alloy composite, 301
Weld pool geometry
Process parameter selection for optimizing the weld pool geometry in the tungsten inert gas welding of stainless steel, 33
Welding power source
An arbitrary waveform control system for a precise spot-welding power source, 185
Workpiece
Prediction of a thermally induced concave ground surface of the workpiece in surface grinding, 148

X-ray diffraction
A technical note on the phase transformation in furnace container material after a periodic thermo-chemical treatment, 363